
MORGAN RUSHWORTH RGMS 2050.3 MECHANICAL GUILLOTINE SHEAR

The RGMS range of powered mechanical guillotines are designed for fast and accurate cutting of sheet material. They are available in a wide range of widths and cutting capacities from 3 to 6mm based on mild steel. They are fitted as standard with blades suitable for cutting both mild and stainless steel and a 750mm powered back gauge with a programmable NC control. Other features are a tee slotted squaring arm, flat front support arms and a support table with ball transfer units.

FEATURES

- Very rigid welded steel frame
- Alloy steel blades for mild or stainless steel cutting
- Automatically activated hold down system to prevent sheet sliding during cutting
- 750mm powered back gauge with NC control
- Support table with ball transfers
- 1000mm ruled squaring arm with tee slot
- Flat front support arms
- Illuminated cutting area with shadow line
- Single or continuous cutting modes
- Foot pedal control

OPTIONS

- Increase back gauge stroke to 1000mm
- Angle gauge
- Pneumatic sheet supports (requires compressor)

TECHNICAL INFORMATION

| | | |
|----------------------|----|---------------|
| MODEL | | RGMS 2050.3.0 |
| Cutting Length | mm | 2050 |
| Cutting Capacity | mm | 3 |
| Cutting Angle | | 1°30 |
| Stroke Per Minute | | 31 |
| Motor | kW | 3 |
| Table Width | mm | 420 |
| Table Height | mm | 850 |
| Backgauge Adjustment | mm | 750 |
| Length | mm | 2420 |
| Width | mm | 1370 |
| Height | mm | 1200 |
| Weight | kg | 1250 |

OTHER IMAGES

