
MORGAN RUSHWORTH DPBH-3 2600.300 HYDRAULIC 3-ROLL PLATE ROLLS



The DPBH-3 hydraulic bending rolls are of the pyramid style in a double pinch design, with all three rolls hydraulically driven. Double pre-bending can be performed on the machine without the need to turn the material. All models feature a hydraulic drop end for easy removal of a completed cylinder and are supplied with digital read outs to indicate the position of the pre-bending rolls.

FEATURES

- Hydraulically driven rolls with planetary gearbox
- Hydraulic up and down roll movement of the side rolls
- Digital read out of side roll position
- Double pre-bending to front and rear edge of plate
- Induction hardened and polished rolls
- Hydraulic drop end and top roll tilt
- Cone bending device
- Welded steel construction
- Safety trip wire around the machine
- Mobile control panel

OPTIONS

- Overhead support
- Side supports
- Variable rolling speed
- Material feed table

TECHNICAL INFORMATION

MODEL		DPBH-3 2600.300
Bending Length	mm	2600
Rolling Capacity	mm	16
Pre-Bending Capacity	mm	13
Top Roll Diameter	mm	300
Bottom Rolls Diameter	mm	270
Motor	kW	11.0
Length	mm	5000
Width	mm	1650
Height	mm	1650
Weight	Kg	7650

OTHER IMAGES

