
MORGAN RUSHWORTH ECP 1530/200 COMPACT PLASMA CUTTING MACHINE 415V

The Morgan Rushworth ECP CNC Compact Plasma cutting machines have been especially designed for simple but accurate cutting of sheet and plate material and are fitted with an operator friendly CNC controller supplied together with auto nesting software. These models are equipped with the class leading Hypertherm Powermax power source utilising single gas plasma technology. The result is a high quality machine delivering low initial and operating costs, high productivity, superior cut quality and unsurpassed reliability.

FEATURES

- Hypertherm MAXPRO 200 plasma unit
- Separate gas for shield and cutting gas
- Use with air, oxygen or nitrogen for optimum cutting
- Easy to use CNC controller with shape library
- Automatic torch height control
- Torch collision protection system
- Automatic ventilation and smoke extraction system ready to be connected to a filtration system
- Positioning speed 15 m/min
- Positioning accuracy +/- 0.02mm
- LMT 25mm high accuracy linear rail
- High quality Eisele gearbox
- Digital servo motors and drivers
- Gudel helical rack and pinion system
- Auto nesting software

OPTIONS

- Water table in lieu of extraction table
- Extraction/filtration system

TECHNICAL INFORMATION

MODEL		ECP 1530/200
Capacity from Pierce		
Mild Steel	mm	32
Stainless	mm	25
Aluminium	mm	32
Capacity from Edge Start		
Mild Steel	mm	50
Stainless	mm	50
Aluminium	mm	38
Table Width	mm	1500
Table Length	mm	3000
X Axis Stroke	mm	1550
Y Axis Stroke	mm	3050
Z Axis Stroke	mm	200
Table Height	mm	800
Table Loading	kg/m ²	750
Length	mm	4420
Width	mm	2350
Height	mm	1710
Weight	kg	2250

OTHER IMAGES

