
MORGAN RUSHWORTH DPBH-3 2600.190 HYDRAULIC 3-ROLL PLATE ROLLS



The DPBH-3 hydraulic bending rolls are of the pyramid style in a double pinch design, with all three rolls hydraulically driven. Double pre-bending can be performed on the machine without the need to turn the material. All models feature a hydraulic drop end for easy removal of a completed cylinder and are supplied with digital read outs to indicate the position of the pre-bending rolls.

FEATURES

- Hydraulically driven rolls with planetary gearbox
- Hydraulic up and down roll movement of the side rolls
- Digital read out of side roll position
- Double pre-bending to front and rear edge of plate
- Induction hardened and polished rolls
- Hydraulic drop end and top roll tilt
- Cone bending device
- Welded steel construction
- Safety trip wire around the machine
- Mobile control panel

OPTIONS

- Overhead support
- Side supports
- Variable rolling speed
- Material feed table

TECHNICAL INFORMATION

| | | |
|-----------------------|----|-----------------|
| MODEL | | DPBH-3 2600.190 |
| Bending Length | mm | 2600 |
| Rolling Capacity | mm | 6 |
| Pre-Bending Capacity | mm | 4 |
| Top Roll Diameter | mm | 190 |
| Bottom Rolls Diameter | mm | 170 |
| Motor | kW | 3.0 |
| Length | mm | 4450 |
| Width | mm | 1080 |
| Height | mm | 1160 |
| Weight | Kg | 3350 |

OTHER IMAGES

