
MORGAN RUSHWORTH PBH 1520.100 HYDRAULIC H FRAME PRESS BRAKE 415V

The heavily constructed PBH press brake model is of an H frame design and is fitted with heavy duty top and bottom press brake tools, ideal for a whole variety of heavier bending operations. These models feature adjustable limit switches for ram stroke and return, as well as twin guidance pistons in addition to the main ram. The machine operates at a safe working speed and is also fitted with a two handed control to ensure the operator is well away from the working area.

FEATURES

- Very heavy H frame design
- Top & bottom press brake tooling
- Safe working speed
- Quiet hydraulic system
- Stepless pressure adjustment
- Hydraulic cylinder mounted above tooling providing vertical pressure
- Twin guidance pistons in addition to the main ram
- Stepless stroke adjustment with limit switches controlling the ram stroke and return
- Adjustable bed height with two hardened pins
- Control console with two handed operation
- Ideal for low or high volume operation

TECHNICAL INFORMATION

MODEL		PBH 1520.100
Power	Tonnes	100
Bending Length	mm	1520
Stroke	mm	300
Advance Speed	mm/sec	8
Working Speed	mm/sec	5
Return Speed	mm/sec	10
Motor	kw	7.5
Length	mm	2500
Width	mm	1000
Height	mm	2220
Weight	kg	2500

OTHER IMAGES

